

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,120,295 B2  
APPLICATION NO. : 10/612734  
DATED : October 10, 2006  
INVENTOR(S) : Christopher J. Edge et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 18, line 12	In equation: " $= M_y^{-1}$ " should read as $--M_v^{-1}--$
Column 18, line 24	In equation: " $= M_y^{-1}$ " should read as $--M_v^{-1}--$
Column 18, line 27	First line of the equation, delete the second occurrence of "0" and insert $--X_1--$
Column 18, line 35	In equation: " $M_y =$ " should read as $--M_v =--$
Column 20, line 13	In equation: " $= M_y^{-1}$ " should read as $--M_v^{-1}--$
Column 20, line 17	" $M_y$ " should read as $--M_v--$
Column 20, line 26	In equation: " $= M_y^{-1}$ " should read as $--M_v^{-1}--$
Column 20, line 30	In equation: " $M_y$ " should read as $--M_v--$
Column 20, line 38	In equation: " $M_y =$ " should read as $--M_v =--$
Column 20, line 46	" $M_y$ " should read as $--M_v--$
Column 22, line 3	"calorimetry" should read as $--colorimetry--$

Signed and Sealed this

Third Day of April, 2007



JON W. DUDAS  
*Director of the United States Patent and Trademark Office*